


WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Monday, April 26, 2004

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L16	L15 AND leukocyte	3
<input type="checkbox"/>	L15	colostrinin	23
<input type="checkbox"/>	L14	Georgiades-J.IN.	7
<input type="checkbox"/>	L13	Georgiades-Jerzy.IN.	1
<input type="checkbox"/>	L12	Georgiades.IN.	73
<input type="checkbox"/>	L11	Boldogh-I.IN.	6
<input type="checkbox"/>	L10	Boldogh-Istvan.IN.	2
<input type="checkbox"/>	L9	Boldogh.IN.	8
<input type="checkbox"/>	L8	Hughes-T.IN.	36
<input type="checkbox"/>	L7	Hughes-Thomas.IN.	10
<input type="checkbox"/>	L6	Hughes.IN.	12078
<input type="checkbox"/>	L5	Stanton-S.IN.	2904
<input type="checkbox"/>	L4	Stanton.IN.	2904
<input type="checkbox"/>	L3	L1 AND colostrinin	3
<input type="checkbox"/>	L2	L1 AND colostrinin	0
<input type="checkbox"/>	L1	(514/2,12,13,14,15,16,17,18.CCLS.)	14192

END OF SEARCH HISTORY



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books
 Search PubMed for colostrinin Go Clear
 Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 500 Sort Send to Text

Items 1-11 of 11

One page.

Text Version

Entrez PubMed

Overview
 Help | FAQ
 Tutorial
 New/Noteworthy
 E-Utilities

PubMed Services

Journals Database
 MeSH Database
 Single Citation Matcher
 Batch Citation Matcher
 Clinical Queries
 LinkOut
 Cubby

Related Resources

Order Documents
 NLM Gateway
 TOXNET
 Consumer Health
 Clinical Alerts
 ClinicalTrials.gov
 PubMed Central

Privacy Policy

☐ 1: [Bilikiewicz A, Gaus W.](#)

[Related Articles, Links](#)



Colostrinin (a naturally occurring, proline-rich, polypeptide mixture) in the treatment of Alzheimer's disease.

J Alzheimers Dis. 2004 Feb;6(1):17-26.
 PMID: 15004324 [PubMed - in process]

☐ 2: [Mikulska JE, Lisowski J.](#)

[Related Articles, Links](#)



A proline-rich polypeptide complex (PRP) from ovine colostrum. Studies on the effect of PRP on nitric oxide (NO) production induced by LPS in THP-1 cells.

Immunopharmacol Immunotoxicol. 2003 Nov;25(4):645-54.
 PMID: 14686804 [PubMed - indexed for MEDLINE]

☐ 3: [Boldogh I, Liebenthal D, Hughes TK, Juelich TL, Georgiades JA, Kruzel ML, Stanton GJ.](#)

[Related Articles, Links](#)



Modulation of 4HNE-mediated signaling by proline-rich peptides from ovine colostrum.

J Mol Neurosci. 2003 Apr;20(2):125-34.
 PMID: 12794306 [PubMed - indexed for MEDLINE]

☐ 4: [Leszek J, Inglot AD, Janusz M, Byczkiewicz F, Kiejna A, Georgiades J, Lisowski J.](#)

[Related Articles, Links](#)



Colostrinin proline-rich polypeptide complex from ovine colostrum--a long-term study of its efficacy in Alzheimer's disease.

Med Sci Monit. 2002 Oct;8(10):PI93-6.
 PMID: 12388930 [PubMed - indexed for MEDLINE]

☐ 5: [Kruzel ML, Janusz M, Lisowski J, Fischleigh RV, Georgiades JA.](#)

[Related Articles, Links](#)



Towards an understanding of biological role of colostrinin peptides.

J Mol Neurosci. 2001-Dec;17(3):379-89.
 PMID: 11859934 [PubMed - indexed for MEDLINE]

☐ 6: [Popik P.](#)

[Related Articles, Links](#)



Colostrinin and colostrinin-derived nonapeptide (colostral-val nonapeptide, CVNP) facilitate learning and memory in rats.

Pol J Pharmacol. 2001 Mar-Apr;53(2):166-8. No abstract available.
 PMID: 11787957 [PubMed - indexed for MEDLINE]

☐ 7: [Popik P, Galoch Z, Janusz M, Lisowski J, Vetulani J.](#)

[Related Articles, Links](#)



Cognitive effects of Colostral-Val nonapeptide in aged rats.

Behav Brain Res. 2001 Jan 29;118(2):201-8.
 PMID: 11164518 [PubMed - indexed for MEDLINE]

☐ 8: [Leszek J, Inglot AD, Janusz M, Lisowski J, Krukowska K, Georgiades JA.](#)

[Related Articles, Links](#)



Colostrinin: a proline-rich polypeptide (PRP) complex isolated from ovine colostrum for treatment of Alzheimer's disease. A double-blind, placebo-

controlled study.

Arch Immunol Ther Exp (Warsz). 1999;47(6):377-85.

PMID: 10608295 [PubMed - indexed for MEDLINE]

☐ **9:** [Popik P, Bobula B, Janusz M, Lisowski J, Vetulani J.](#)

[Related Articles, Links](#)



Colostrinin, a polypeptide isolated from early milk, facilitates learning and memory in rats.

Pharmacol Biochem Behav. 1999 Sep;64(1):183-9.

PMID: 10495015 [PubMed - indexed for MEDLINE]

☐ **10:** [Sokal I, Janusz M, Miecznikowska H, Kupryszewski G, Lisowski J.](#)

[Related Articles, Links](#)



Effect of colostrinin, an immunomodulatory proline-rich polypeptide from ovine colostrum, on sialidase and beta-galactosidase activities in murine thymocytes.

Arch Immunol Ther Exp (Warsz). 1998;46(3):193-8.

PMID: 9704152 [PubMed - indexed for MEDLINE]

☐ **11:** [Inglot AD, Gelder F, Georgiades JA.](#)

[Related Articles, Links](#)



Tumor-associated antigens are cytokine inducers and hyporeactivity factors to the immune system.

Biotherapy. 1998;11(1):27-37.

PMID: 9617463 [PubMed - indexed for MEDLINE]

Display **Summary** **Show:** **500** **Sort** **Send to** **Text**
Items 1-11 of 11 One page.


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Apr 19 2004 06:53:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books
 Search PubMed for proline-rich peptide AND PRP Go Clear
 Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 500 Sort Send to Text

Text Version

Items 1-151 of 151

One page.

Entrez PubMed

Overview
 Help | FAQ
 Tutorial
 New/Noteworthy
 E-Utilities

PubMed Services

Journals Database
 MeSH Database
 Single Citation Matcher
 Batch Citation Matcher
 Clinical Queries
 LinkOut
 Caddy

Related Resources

Order Documents
 NLM Gateway
 TOXNET
 Consumer Health
 Clinical Alerts
 ClinicalTrials.gov
 PubMed Central

Privacy Policy

☐ 1: [Abrahamyan SS, Sarkissian JS, Meliksetyan IB, Galoyan AA.](#) Related Articles, Links



Survival of trauma-injured neurons in rat brain by treatment with proline-rich peptide (PRP-1): an immunohistochemical study.

Neurochem Res. 2004 Apr;29(4):695-708.

PMID: 15098931 [PubMed - in process]

☐ 2: [Mikulska JE, Lisowski J.](#) Related Articles, Links



A proline-rich polypeptide complex (PRP) from ovine colostrum. Studies on the effect of PRP on nitric oxide (NO) production induced by LPS in THP-1 cells.

Immunopharmacol Immunotoxicol. 2003 Nov;25(4):645-54.

PMID: 14686804 [PubMed - indexed for MEDLINE]

☐ 3: [Akopian A, Galoyan A.](#) Related Articles, Links



Effect of hypothalamic proline-rich-polypeptide on voltage-gated Ca²⁺ currents in retinal ganglion cells.

Neurochem Res. 2003 Dec;28(12):1867-71.

PMID: 14649729 [PubMed - indexed for MEDLINE]

☐ 4: [Kauss H, Seehaus K, Franke R, Gilbert S, Dietrich RA, Kroger N.](#) Related Articles, Links



Silica deposition by a strongly cationic proline-rich protein from systemically resistant cucumber plants.

Plant J. 2003 Jan;33(1):87-95.

PMID: 12943543 [PubMed - indexed for MEDLINE]

☐ 5: [He CY, Zhang JS, Chen SY.](#) Related Articles, Links



A soybean gene encoding a proline-rich protein is regulated by salicylic acid, an endogenous circadian rhythm and by various stresses.

Theor Appl Genet. 2002 May;104(6-7):1125-1131. Epub 2002-Apr 06.

PMID: 12582622 [PubMed - as supplied by publisher]

☐ 6: [Banderas-Tarabay JA, Zacarias-D'Oleire IG, Garduno-Estrada R, Aceves-Luna E, Gonzalez-Begne M.](#) Related Articles, Links



Electrophoretic analysis of whole saliva and prevalence of dental caries. A study in Mexican dental students.

Arch Med Res. 2002 Sep-Oct;33(5):499-505.

PMID: 12459324 [PubMed - indexed for MEDLINE]

☐ 7: [Leszek J, Inglot AD, Janusz M, Byczkiewicz F, Kiejna A, Georgiades J, Lisowski J.](#) Related Articles, Links







































Colostrinin proline-rich polypeptide complex from ovine colostrum--a long-term study of its efficacy in Alzheimer's disease.

Med Sci Monit. 2002 Oct;8(10):PI93-6.

PMID: 12388930 [PubMed - indexed for MEDLINE]

☐ 8: [Leymarie N, Berg EA, McComb ME, O'Connor PB, Grogan J, Oppenheim FG, Costello CE.](#) Related Articles, Links

-  Tandem mass spectrometry for structural characterization of proline-rich proteins: application to salivary PRP-3.
Anal Chem. 2002 Aug 15;74(16):4124-32.
PMID: 12199583 [PubMed - indexed for MEDLINE]
-  9: [Galoyan AA, Aprikyan VS.](#) [Related Articles, Links](#)
-  A new hypothalamic polypeptide is a regulator of myelopoiesis.
Neurochem Res. 2002 Apr;27(4):305-12.
PMID: 11958532 [PubMed - indexed for MEDLINE]
-  10: [Tan H, Creech RG, Jenkins JN, Chang YF, Ma DP.](#) [Related Articles, Links](#)
-  Cloning and expression analysis of two cotton (*Gossypium hirsutum* L.) genes encoding cell wall proline-rich proteins.
DNA Seq. 2001 Dec;12(5-6):367-80.
PMID: 11913783 [PubMed - indexed for MEDLINE]
-  11: [Abrahamyan SS, Meliksetyan IB, Sulkhanyan RM, Sarkissian JS, Galoyan AA.](#) [Related Articles, Links](#)
-  Immunohistochemical study of immunophilin 1-15 fragment in intact frog brain, and in the brain and spinal cord of intact and spinal cord hemisectioned rats.
Neurochem Res. 2001 Nov;26(11):1225-30.
PMID: 11874204 [PubMed - indexed for MEDLINE]
-  12: [Kruzel ML, Janusz M, Lisowski J, Fischleigh RV, Georgiades JA.](#) [Related Articles, Links](#)
-  Towards an understanding of biological role of colostrin peptides.
J Mol Neurosci. 2001 Dec;17(3):379-89.
PMID: 11859934 [PubMed - indexed for MEDLINE]
-  13: [Stenudd C, Nordlund A, Ryberg M, Johansson I, Kallistal C, Stromberg N.](#) [Related Articles, Links](#)
-  The association of bacterial adhesion with dental caries.
J Dent Res. 2001 Nov;80(11):2005-10.
PMID: 11759011 [PubMed - indexed for MEDLINE]
-  14: [Li T, Khah MK, Slavnic S, Johansson I, Stromberg N.](#) [Related Articles, Links](#)
-  Different type 1 fimbrial genes and tropisms of commensal and potentially pathogenic *Actinomyces* spp. with different salivary acidic proline-rich protein and statherin ligand specificities.
Infect Immun. 2001 Dec;69(12):7224-33.
PMID: 11705891 [PubMed - indexed for MEDLINE]
-
-  15: [Galoyan AA, Sarkissian JS, Kipriyan TK, Sarkissian EJ, Chavushyan EA, Sulkhanyan RM, Meliksetyan IB, Abrahamyan SS, Grigorian YKh, Avetisyan ZA, Otieva NA.](#) [Related Articles, Links](#)
-  Protective effect of a new hypothalamic peptide against cobra venom and trauma-induced neuronal injury.
Neurochem Res. 2001 Sep;26(8-9):1023-38.
PMID: 11699930 [PubMed - indexed for MEDLINE]
-  16: [Zablocka A, Janusz M, Rybka K, Wirkus-Romanowska I, Kupryszewski G, Lisowski J.](#) [Related Articles, Links](#)
-  Cytokine-inducing activity of a proline-rich polypeptide complex (PRP) from ovine colostrum and its active nonapeptide fragment analogs.
Eur Cytokine Netw. 2001 Jul-Sep;12(3):462-7.
PMID: 11566627 [PubMed - indexed for MEDLINE]
-  17: [Kevorkian GA, Marukhyan GL, Arakelyan LN, Guevorkian AG, Galoyan AA.](#) [Related Articles, Links](#)

-  **Influence of hypothalamic proline-rich peptide on the level of [14C]glucose utilization during crush syndrome.**
Neurochem Res. 2001 Jul;26(7):829-32.
PMID: 11565615 [PubMed - indexed for MEDLINE]
-  **18:** [Chan M, Bennick A.](#) Related Articles, Links
-  **Proteolytic processing of a human salivary proline-rich protein precursor by proprotein convertases.**
Eur J Biochem. 2001 Jun;268(12):3423-31.
PMID: 11422372 [PubMed - indexed for MEDLINE]
-  **19:** [Jonsson AP, Bergman T, Jomvall H, Griffiths WJ.](#) Related Articles, Links
-  **Gln-Gly cleavage: a dominant dissociation site in the fragmentation of protonated peptides.**
Rapid Commun Mass Spectrom. 2001;15(9):713-20.
PMID: 11319794 [PubMed - indexed for MEDLINE]
-  **20:** [Jonsson AP, Bergman T, Jomvall H, Griffiths WJ, Bratt P, Stromberg N.](#) Related Articles, Links
-  **Gln-Gly cleavage: correlation between collision-induced dissociation and biological degradation.**
J Am Soc Mass Spectrom. 2001 Mar;12(3):337-42.
PMID: 11281609 [PubMed - indexed for MEDLINE]
-  **21:** [Johansson I, Bratt P, Hay DI, Schluckebier S, Stromberg N.](#) Related Articles, Links
-  **Adhesion of Candida albicans, but not Candida krusei, to salivary statherin and mimicking host molecules.**
Oral Microbiol Immunol. 2000 Apr;15(2):112-8.
PMID: 11155174 [PubMed - indexed for MEDLINE]
-  **22:** [Galoyan AA, Sarkissian JS, Kipriyan TK, Sarkissian EJ, Grigorian YK, Sulkhanyan RM, Khachatryan TS.](#) Related Articles, Links
-  **Comparison of the protection against neuronal injury by hypothalamic peptides and by dexamethasone.**
Neurochem Res. 2000 Dec;25(12):1567-78.
PMID: 11152386 [PubMed - indexed for MEDLINE]
-  **23:** [Frueauf JB, Dolata M, Leykam JF, Lloyd EA, Gonzales M, VandenBosch K, Kieliszewski MJ.](#) Related Articles, Links
-  **Peptides isolated from cell walls of Medicago truncatula nodules and uninfected root.**
Phytochemistry. 2000 Nov;55(5):429-38.
PMID: 11140604 [PubMed - indexed for MEDLINE]
-  **24:** [Prinz JF, Lucas PW.](#) Related Articles, Links
-  **Saliva tannin interactions.**
J Oral Rehabil. 2000 Nov;27(11):991-4.
PMID: 11106991 [PubMed - indexed for MEDLINE]
-  **25:** [Li T, Bratt P, Jonsson AP, Ryberg M, Johansson I, Griffiths WJ, Bergman T, Stromberg N.](#) Related Articles, Links
-  **Possible release of an ArgGlyArgProGln pentapeptide with innate immunity properties from acidic proline-rich proteins by proteolytic activity in commensal streptococcus and actinomyces species.**
Infect Immun. 2000 Sep;68(9):5425-9.
PMID: 10948176 [PubMed - indexed for MEDLINE]
-  **26:** [Jonsson AP, Griffiths WJ, Bratt P, Johansson I, Stromberg N, Jomvall H, Bergman T.](#) Related Articles, Links



A novel Ser O-glucuronidation in acidic proline-rich proteins identified by tandem mass spectrometry.

FEBS Lett. 2000 Jun 16;475(2):131-4.

PMID: 10858503 [PubMed - indexed for MEDLINE]

27: [Yao Y, Lankin MS, Oppenheim FG.](#)

[Related Articles, Links](#)



Pellicle precursor protein crosslinking characterization of an adduct between acidic proline-rich protein (PRP-1) and statherin generated by transglutaminase.

J Dent Res. 2000 Apr;79(4):930-8.

PMID: 10831095 [PubMed - indexed for MEDLINE]

28: [Bacon JR, Rhodes MJ.](#)

[Related Articles, Links](#)



Binding affinity of hydrolyzable tannins to parotid saliva and to proline-rich proteins derived from it.

J Agric Food Chem. 2000 Mar;48(3):838-43.

PMID: 10725160 [PubMed - indexed for MEDLINE]

29: [Harder DB, Azen EA, Whitney G.](#)

[Related Articles, Links](#)



Sucrose octaacetate avoidance in nontaster mice is not enhanced by two type-A Prp transgenes from taster mice.

Chem Senses. 2000 Feb;25(1):39-45.

PMID: 10667992 [PubMed - indexed for MEDLINE]

30: [Azen EA.](#)

[Related Articles, Links](#)



A frequent mutation in the acidic proline-rich protein gene, PRH2, causing a Q147K change closely adjacent to the bacterial binding domain of the cognate salivary PRP (Pr1') in Afro-Americans. Mutations in brief no. 154. Online.

Hum Mutat. 1998;12(1):72.

PMID: 10627138 [PubMed - indexed for MEDLINE]

31: [Leszek J, Inglot AD, Janusz M, Lisowski J, Krukowska K, Georgiades JA.](#)

[Related Articles, Links](#)



Colostrinin: a proline-rich polypeptide (PRP) complex isolated from ovine colostrum for treatment of Alzheimer's disease. A double-blind, placebo-controlled study.

Arch Immunol Ther Exp (Warsz). 1999;47(6):377-85.

PMID: 10608295 [PubMed - indexed for MEDLINE]

32: [Fowler TJ, Bernhardt C, Tierney ML.](#)

[Related Articles, Links](#)



Characterization and expression of four proline-rich cell wall protein genes in Arabidopsis encoding two distinct subsets of multiple domain proteins.

Plant Physiol. 1999 Dec;121(4):1081-92.

PMID: 10594096 [PubMed - indexed for MEDLINE]

33: [Domaraczko B, Janusz M, Orzechowska B, Jarosz W, Blach-Olszewska Z.](#)

[Related Articles, Links](#)



Effect of proline rich polypeptide from ovine colostrum on virus replication in human placenta and amniotic membrane at term; possible role of endogenous tumour necrosis factor alpha.

Placenta. 1999 Nov;20(8):695-701.

PMID: 10527824 [PubMed - indexed for MEDLINE]

34: [Percy JD, Philip R, Vodkin LO.](#)


[Related Articles, Links](#)





A defective seed coat pattern (Net) is correlated with the post-transcriptional abundance of soluble proline-rich cell wall proteins.


Plant Mol Biol. 1999 Jul;40(4):603-13.


PMID: 10480384 [PubMed - indexed for MEDLINE]


-  **35:** [Kataoka K, Amano A, Kawabata S, Nagata H, Hamada S, Shizukuishi S.](#) [Related Articles, Links](#)


 **Secretion of functional salivary peptide by Streptococcus gordonii which inhibits fimbria-mediated adhesion of Porphyromonas gingivalis.**
Infect Immun. 1999 Aug;67(8):3780-5.
PMID: 10417138 [PubMed - indexed for MEDLINE]


-  **36:** [Boackle RJ, Dutton SL, Robinson WL, Vesely J, Lever JK, Su HR, Chang NS.](#) [Related Articles, Links](#)

 **Effects of removing the negatively charged N-terminal region of the salivary acidic proline-rich proteins by human leucocyte elastase.**
Arch Oral Biol. 1999 Jul;44(7):575-85.
PMID: 10414872 [PubMed - indexed for MEDLINE]


-  **37:** [Vignols F, Jose-Estanyol M, Caparros-Ruiz D, Rigau J, Puigdomenech P.](#) [Related Articles, Links](#)

 **Involvement of a maize proline-rich protein in secondary cell wall formation as deduced from its specific mRNA localization.**
Plant Mol Biol. 1999 Mar;39(5):945-52.
PMID: 10344200 [PubMed - indexed for MEDLINE]


-  **38:** [Amano A, Nakamura T, Kimura S, Morisaki I, Nakagawa I, Kawabata S, Hamada S.](#) [Related Articles, Links](#)


 **Molecular interactions of Porphyromonas gingivalis fimbriae with host proteins: kinetic analyses based on surface plasmon resonance.**
Infect Immun. 1999 May;67(5):2399-405.
PMID: 10225901 [PubMed - indexed for MEDLINE]


-  **39:** [Nordgarden H, Lamkin M, Oppenheim FG, Storhaug K, Jensen JL.](#) [Related Articles, Links](#)


 **Salivary secretions: narcolepsy and central nervous system stimulants.**
J Dent Res. 1998 Oct;77(10):1817-22.
PMID: 9786638 [PubMed - indexed for MEDLINE]


-  **40:** [Lu Y, Bennick A.](#) [Related Articles, Links](#)

 **Interaction of tannin with human salivary proline-rich proteins.**
Arch Oral Biol. 1998 Sep;43(9):717-28.
PMID: 9783826 [PubMed - indexed for MEDLINE]


-  **41:** [Orzechowska B, Janusz M, Domaraczko B, Blach-Olszewska Z.](#) [Related Articles, Links](#)

 **Antiviral effect of proline-rich polypeptide in murine resident peritoneal cells.**
Acta Virol. 1998 Apr;42(2):75-8.
PMID: 9770073 [PubMed - indexed for MEDLINE]


-  **42:** [Sokal I, Janusz M, Miecznikowska H, Kupryszewski G, Lisowski J.](#) [Related Articles, Links](#)


 **Effect of colostrinin, an immunomodulatory proline-rich polypeptide from ovine colostrum, on sialidase and beta-galactosidase activities in murine thymocytes.**
Arch Immunol Ther Exp (Warsz). 1998;46(3):193-8.
PMID: 9704152 [PubMed - indexed for MEDLINE]


-  **43:** [Jensen JL.](#) [Related Articles, Links](#)

 **Salivary acidic proline-rich proteins in rheumatoid arthritis.**
Ann N Y Acad Sci. 1998 Apr 15;842:209-11.
PMID: 9599313 [PubMed - indexed for MEDLINE]


-  **44:** [Ann DK, Lin HH.](#) [Related Articles, Links](#)


 **Transcriptional regulation of salivary proline-rich protein gene expression.**
Ann N Y Acad Sci. 1998 Apr 15;842:108-14. Review.
PMID: 9599300 [PubMed - indexed for MEDLINE]


 **45:** [Amano A, Shizukuishi S, Horie H, Kimura S, Morisaki I, Hamada S.](#) [Related Articles, Links](#)

 **Binding of Porphyromonas gingivalis fimbriae to proline-rich glycoproteins in parotid saliva via a domain shared by major salivary components.**
Infect Immun. 1998 May;66(5):2072-7.
PMID: 9573091 [PubMed - indexed for MEDLINE]


 **46:** [Castle AM, Castle JD.](#) [Related Articles, Links](#)


 **Enhanced glycosylation and sulfation of secretory proteoglycans is coupled to the expression of a basic secretory protein.**
Mol Biol Cell. 1998 Mar;9(3):575-83.
PMID: 9487127 [PubMed - indexed for MEDLINE]


 **47:** [Colmenero-Flores JM, Campos F, Garcianrubio A, Covarrubias AA.](#) [Related Articles, Links](#)

 **Characterization of Phaseolus vulgaris cDNA clones responsive to water deficit: identification of a novel late embryogenesis abundant-like protein.**
Plant Mol Biol. 1997 Nov;35(4):393-405.
PMID: 9349263 [PubMed - indexed for MEDLINE]


 **48:** [Baxter NJ, Lilley TH, Haslam E, Williamson MP.](#) [Related Articles, Links](#)

 **Multiple interactions between polyphenols and a salivary proline-rich protein repeat result in complexation and precipitation.**
Biochemistry. 1997 May 6;36(18):5566-77.
PMID: 9154941 [PubMed - indexed for MEDLINE]


 **49:** [Ann DK, Lin HH, Kousvelari E.](#) [Related Articles, Links](#)

 **Regulation of salivary-gland-specific gene expression.**
Crit Rev Oral Biol Med. 1997;8(3):244-52. Review.
PMID: 9260042 [PubMed - indexed for MEDLINE]


 **50:** [Blach-Olszewska Z, Janusz M.](#) [Related Articles, Links](#)

 **Stimulatory effect of ovine colostrinine (a proline-rich polypeptide) on interferons and tumor necrosis factor production by murine resident peritoneal cells.**
Arch Immunol Ther Exp (Warsz). 1997;45(1):43-7.
PMID: 9090439 [PubMed - indexed for MEDLINE]


 **51:** [Lin HH, Tu ZJ, Ann DK.](#) [Related Articles, Links](#)

 **Involvement of nuclear orphan receptor NGFI-B in transcriptional activation of salivary-specific R15 gene by cAMP.**
J Biol Chem. 1996 Nov 1;271(44):27637-44.
PMID: 8910353 [PubMed - indexed for MEDLINE]


 **52:** [Nagler RM, Nagler A.](#) [Related Articles, Links](#)


 **Effects of ionizing irradiation and beta-adrenergic stimulation on gene expression pattern in rat submandibular glands.**
Anticancer Res. 1996 Sep-Oct;16(5A):2749-56.
PMID: 8917382 [PubMed - indexed for MEDLINE]

 **53:** [Goodwin W, Pallas JA, Jenkins GL.](#) [Related Articles, Links](#)


 **Transcripts of a gene encoding a putative cell wall-plasma membrane linker protein are specifically cold-induced in Brassica napus.**

Plant Mol Biol. 1996 Jul;31(4):771-81.
PMID: 8806408 [PubMed - indexed for MEDLINE]


-  **54:** [Lamkin MS, Arancillo AA, Oppenheim FG.](#) [Related Articles, Links](#)


 Temporal and compositional characteristics of salivary protein adsorption to hydroxyapatite.
J Dent Res. 1996 Feb;75(2):803-8.
PMID: 8655778 [PubMed - indexed for MEDLINE]


-  **55:** [Inglot AD, Janusz M, Lisowski J.](#) [Related Articles, Links](#)


 Colostrinine: a proline-rich polypeptide from ovine colostrum is a modest cytokine inducer in human leukocytes.
Arch Immunol Ther Exp (Warsz). 1996;44(4):215-24.
PMID: 9017161 [PubMed - indexed for MEDLINE]


-  **56:** [Janusz M, Blaszczyk B.](#) [Related Articles, Links](#)

 Effect of a proline-rich polypeptide on IgG level in Chickens.
Arch Immunol Ther Exp (Warsz). 1996;44(1):23-6.
PMID: 8874765 [PubMed - indexed for MEDLINE]


-  **57:** [Azen EA, Amberger E, Fisher S, Prakobphol A, Niece RL.](#) [Related Articles, Links](#)

 PRB1, PRB2, and PRB4 coded polymorphisms among human salivary concanavalin-A binding, II-1, and Po proline-rich proteins.
Am J Hum Genet. 1996 Jan;58(1):143-53.
PMID: 8554050 [PubMed - indexed for MEDLINE]


-  **58:** [Prasad KN, Kumar S, Carvalho E, Edwards-Prasad J, Kumar R, La Rosa FG, Larsen BB, Ann D.](#) [Related Articles, Links](#)

 Characterization of human and rat immortalized clones parotid acinar cells with respect to specific proteins and their mRNAs, and receptor-linked adenylate cyclase.
In Vitro Cell Dev Biol Anim. 1995 Nov;31(10):767-72.
PMID: 8564065 [PubMed - indexed for MEDLINE]


-  **59:** [Yan Q, Bennick A.](#) [Related Articles, Links](#)


 Identification of histatins as tannin-binding proteins in human saliva.
Biochem J. 1995 Oct 1;311 (Pt 1):341-7.
PMID: 7575474 [PubMed - indexed for MEDLINE]


-  **60:** [Dickinson DP, Thiesse M.](#) [Related Articles, Links](#)

 A major human lacrimal gland mRNA encodes a new proline-rich protein family member.
Invest Ophthalmol Vis Sci. 1995 Sep;36(10):2020-31.
PMID: 7544782 [PubMed - indexed for MEDLINE]

-  **61:** [Vugman I, Hand AR.](#) [Related Articles, Links](#)

 Quantitative immunocytochemical study of secretory protein expression in parotid glands of rats chronically treated with isoproterenol.
Microsc Res Tech. 1995 Jun 1;31(2):106-17.
PMID: 7544654 [PubMed - indexed for MEDLINE]

-  **62:** [Hay DI, Ahern JM, Schluckebier SK, Schlesinger DH.](#) [Related Articles, Links](#)

 Human salivary acidic proline-rich protein polymorphisms and biosynthesis studied by high-performance liquid chromatography.
J Dent Res. 1994 Nov;73(11):1717-26.
PMID: 7983258 [PubMed - indexed for MEDLINE]

-  **63:** [Wilson RC, Long F, Maruoka EM, Cooper JB.](#) [Related Articles, Links](#)



A new proline-rich early nodulin from *Medicago truncatula* is highly expressed in nodule meristematic cells.

Plant Cell. 1994 Sep;6(9):1265-75.

PMID: 7919991 [PubMed - indexed for MEDLINE]



64: [Schlesinger DH, Hay DL, Schluckebier SK, Ahern JM.](#)

[Related Articles, Links](#)



Primary structure of a novel human salivary acidic proline-rich protein.

Pept Res. 1994 Sep-Oct;7(5):242-7.

PMID: 7849418 [PubMed - indexed for MEDLINE]



65: [Schmidt JS, Lindstrom JT, Vodkin LO.](#)

[Related Articles, Links](#)



Genetic length polymorphisms create size variation in proline-rich proteins of the cell wall.

Plant J. 1994 Aug;6(2):177-86.

PMID: 7920710 [PubMed - indexed for MEDLINE]



66: [Courty Y, Rosinski-Chupin I, Rougeon F.](#)

[Related Articles, Links](#)



A new proline-rich protein precursor expressed in the salivary glands of the rat is encoded by a gene homologous to the gene coding for the prohormone-like protein SMR1.

J Biol Chem. 1994 Jan 7;269(1):520-7.

PMID: 8276845 [PubMed - indexed for MEDLINE]



67: [Perlick AM, Puhler A.](#)

[Related Articles, Links](#)



A survey of transcripts expressed specifically in root nodules of broadbean (*Vicia faba* L.).

Plant Mol Biol. 1993 Sep;22(6):957-70.

PMID: 8400140 [PubMed - indexed for MEDLINE]



68: [Rathsam C, Giffard PM, Jacques NA.](#)

[Related Articles, Links](#)



The cell-bound fructosyltransferase of *Streptococcus salivarius*: the carboxyl terminus specifies attachment in a *Streptococcus gordonii* model system.

J Bacteriol. 1993 Jul;175(14):4520-7.

PMID: 8331080 [PubMed - indexed for MEDLINE]



69: [Azen EA, Latreille P, Niece RL.](#)

[Related Articles, Links](#)



PRBI gene variants coding for length and null polymorphisms among human salivary Ps, PmF, PmS, and Pe proline-rich proteins (PRPs).

Am J Hum Genet. 1993 Jul;53(1):264-78.

PMID: 8317492 [PubMed - indexed for MEDLINE]



70: [Kim HS, Lyons KM, Saitoh E, Azen EA, Smithies O, Maeda N.](#)

[Related Articles, Links](#)



The structure and evolution of the human salivary proline-rich protein gene family.

Mamm Genome. 1993;4(1):3-14.

PMID: 8422499 [PubMed - indexed for MEDLINE]



71: [Cheung AY, May B, Kawata EE, Gu Q, Wu HM.](#)

[Related Articles, Links](#)



Characterization of cDNAs for stylar transmitting tissue-specific proline-rich proteins in tobacco.

Plant J. 1993 Jan;3(1):151-60.

PMID: 8401601 [PubMed - indexed for MEDLINE]




72: [Carlson DM.](#)


[Related Articles, Links](#)



Salivary proline-rich proteins: biochemistry, molecular biology, and regulation of expression.


Crit Rev Oral Biol Med. 1993;4(3-4):495-502. Review.
PMID: 8374003 [PubMed - indexed for MEDLINE]

-  **73:** [Kauffman DL, Keller PJ, Bennick A, Blum M.](#) [Related Articles, Links](#)

 **Alignment of amino acid and DNA sequences of human proline-rich proteins.**


Crit Rev Oral Biol Med. 1993;4(3-4):287-92.
PMID: 8373986 [PubMed - indexed for MEDLINE]

-  **74:** [Janusz M, Lisowski J.](#) [Related Articles, Links](#)


 **Proline-rich polypeptide (PRP)--an immunomodulatory peptide from ovine colostrum.**


Arch Immunol Ther Exp (Warsz). 1993;41(5-6):275-9. Review.
PMID: 8010865 [PubMed - indexed for MEDLINE]

-  **75:** [Bedi GS.](#) [Related Articles, Links](#)

 **The effect of adrenergic agonists and antagonists on the expression of proteins in rat submandibular and parotid glands.**


Crit Rev Oral Biol Med. 1993;4(3-4):565-71.
PMID: 7690605 [PubMed - indexed for MEDLINE]

-  **76:** [Lazowski KW, Mertz PM, Redman RS, Ann DK, Kousvelari E.](#) [Related Articles, Links](#)


 **Reciprocal expression of c-jun, proline-rich protein and amylase genes during rat parotid salivary gland development.**


Differentiation. 1992 Nov;51(3):225-32.
PMID: 1281129 [PubMed - indexed for MEDLINE]

-  **77:** [Mansouri H, Cope GH, Divecha N, McDonald CJ.](#) [Related Articles, Links](#)


 **Electron microscopic immunocytochemical localization of proline-rich proteins in normal mouse parotid salivary glands.**


Histochem J. 1992 Oct;24(10):737-46.
PMID: 1428999 [PubMed - indexed for MEDLINE]

-  **78:** [Stromberg N, Boren T, Carlen A, Olsson J.](#) [Related Articles, Links](#)

 **Salivary receptors for GalNAc beta-sensitive adherence of Actinomyces spp.: evidence for heterogeneous GalNAc beta and proline-rich protein receptor properties.**


Infect Immun. 1992 Aug;60(8):3278-86.
PMID: 1322372 [PubMed - indexed for MEDLINE]

-  **79:** [De Clercq N, Hemschoote K, Devos A, Peeters B, Heyns W, Rombauts W.](#) [Related Articles, Links](#)

 **The 4.4-kilodalton proline-rich polypeptides of the rat ventral prostate are the proteolytic products of a 637-kilodalton protein displaying highly repetitive sequences and encoded in a single exon.**


J Biol Chem. 1992 May 15;267(14):9884-94.
PMID: 1577819 [PubMed - indexed for MEDLINE]

-  **80:** [Azen EA, O'Connell P, Kim HS.](#) [Related Articles, Links](#)

 **PRB2/1 fusion gene: a product of unequal and homologous crossing-over between proline-rich protein (PRP) genes PRB1 and PRB2.**


Am J Hum Genet. 1992 Apr;50(4):842-51.
PMID: 1550127 [PubMed - indexed for MEDLINE]

-  **81:** [Nesbitt WE, Beem JE, Leung KP, Clark WB.](#) [Related Articles, Links](#)

 **Isolation and characterization of Actinomyces viscosus mutants defective in binding salivary proline-rich proteins.**

Infect Immun. 1992 Mar;60(3):1095-100.

PMID: 1347286 [PubMed - indexed for MEDLINE]

-  **82:** [Layfield R, Bannister AJ, Pierce EJ, McDonald CJ.](#) [Related Articles, Links](#)



cDNA clones for mouse parotid proline-rich proteins. mRNA regulation by isoprenaline and the nucleotide sequence of proline-rich protein cDNA MP5.

Eur J Biochem. 1992 Mar 1;204(2):591-7.

PMID: 1339347 [PubMed - indexed for MEDLINE]


-  **83:** [Roberts SG, Layfield R, Bannister AJ, McDonald CJ.](#) [Related Articles, Links](#)



Gene sequence of mouse B-type proline-rich protein MP4. Transcriptional start point and an upstream phylogenetic footprint with ets-like and rel/NFkB-like elements.

Eur J Biochem. 1991 Dec 18;202(3):969-74.

PMID: 1765104 [PubMed - indexed for MEDLINE]

-  **84:** [Sabatini LM, Allen-Hoffmann BL, Warner TF, Azen EA.](#) [Related Articles, Links](#)



Serial cultivation of epithelial cells from human and macaque salivary glands.

In Vitro Cell Dev Biol. 1991 Dec;27A(12):939-48.

PMID: 1721908 [PubMed - indexed for MEDLINE]

-  **85:** [Cooper LF, Tabak LA.](#) [Related Articles, Links](#)



Characterization of the gene encoding the salivary Gln/Glu-rich C-terminal variant A protein.

Gene. 1991 Oct 15;106(2):261-6.

PMID: 1937054 [PubMed - indexed for MEDLINE]

-  **86:** [Roberts SG, Layfield R, McDonald CJ.](#) [Related Articles, Links](#)



The mouse proline-rich protein MP6 promoter binds isoprenaline-inducible parotid nuclear proteins via a highly conserved NFkB/rel-like site.

Nucleic Acids Res. 1991 Oct 11;19(19):5205-11. Erratum in: Nucleic Acids Res 1991 Oct 25;19(20):5812.

PMID: 1747160 [PubMed - indexed for MEDLINE]

-  **87:** [Gibbons RJ, Hay DI, Schlesinger DH.](#) [Related Articles, Links](#)



Delineation of a segment of adsorbed salivary acidic proline-rich proteins which promotes adhesion of Streptococcus gordonii to apatitic surfaces.

Infect Immun. 1991 Sep;59(9):2948-54.

PMID: 1879920 [PubMed - indexed for MEDLINE]

-  **88:** [Lin HH, Kousvelari EE, Ann DK.](#) [Related Articles, Links](#)



Sequence and expression of the MnP4 gene encoding basic proline-rich protein in macaque salivary glands.

Gene. 1991 Aug 15;104(2):219-26.

PMID: 1916292 [PubMed - indexed for MEDLINE]

-  **89:** [Lin HH, Ann DK.](#) [Related Articles, Links](#)



Molecular characterization of rat multigene family encoding proline-rich proteins.

Genomics. 1991 May;10(1):102-13.

PMID: 2045095 [PubMed - indexed for MEDLINE]


-  **90:** [Bedi GS.](#) [Related Articles, Links](#)



The effects of autonomic drugs on the concentration of kallikrein-like proteases and cysteine-proteinase inhibitor (cystatin) in rat whole saliva.

J Dent Res. 1991 May;70(5):924-30.

PMID: 2022776 [PubMed - indexed for MEDLINE]


-  **91:** [Zimecki M, Hraba T, Janusz M, Lisowski J, Wieczorek Z.](#) [Related Articles, Links](#)



Effect of a proline-rich polypeptide (PRP) on the development of hemolytic anemia and survival of New Zealand black (NZB) mice.

Arch Immunol Ther Exp (Warsz). 1991;39(5-6):461-7.

PMID: 1841543 [PubMed - indexed for MEDLINE]

-  **92:** [Siemion IZ, Folkers G, Szewczuk Z, Jankowski A, Kubik A, Voelter W.](#) [Related Articles, Links](#)



Peptides related to the active fragment of "proline rich polypeptide", an immunoregulatory protein of the ovine colostrum. Spectroscopic and computer modeling studies.

Int J Pept Protein Res. 1990 Dec;36(6):506-14.

PMID: 2090642 [PubMed - indexed for MEDLINE]


-  **93:** [Azen EA, Hellekant G, Sabatini LM, Warner TF.](#) [Related Articles, Links](#)



mRNAs for PRPs, statherin, and histatins in von Ebner's gland tissues.

J Dent Res. 1990 Nov;69(11):1724-30.

PMID: 2229610 [PubMed - indexed for MEDLINE]

-  **94:** [Azen EA, Minaguchi K, Latreille P, Kim HS.](#) [Related Articles, Links](#)



Alleles at the PRB3 locus coding for a disulfide-bonded human salivary proline-rich glycoprotein (GI 8) and a null in an Ashkenazi Jew.

Am J Hum Genet. 1990 Oct;47(4):686-97.

PMID: 2171329 [PubMed - indexed for MEDLINE]


-  **95:** [Rosinski-Chupin I, Rougeon F.](#) [Related Articles, Links](#)



A new member of the glutamine-rich protein gene family is characterized by the absence of internal repeats and the androgen control of its expression in the submandibular gland of rats.

J Biol Chem. 1990 Jun 25;265(18):10709-13.

PMID: 2355016 [PubMed - indexed for MEDLINE]

-  **96:** [Leung KP, Nesbitt WE, Fischlschweiger W, Hay DI, Clark WB.](#) [Related Articles, Links](#)



Binding of colloidal gold-labeled salivary proline-rich proteins to Actinomyces viscosus type 1 fimbriae.

Infect Immun. 1990 Jun;58(6):1986-91.

PMID: 1971260 [PubMed - indexed for MEDLINE]

-  **97:** [Kim HS, Smithies O, Maeda N.](#) [Related Articles, Links](#)



A physical map of the human salivary proline-rich protein gene cluster covers over 700 kbp of DNA.

Genomics. 1990 Feb;6(2):260-7.

PMID: 2307469 [PubMed - indexed for MEDLINE]


-  **98:** [Wright PS, Lenney C, Carlson DM.](#) [Related Articles, Links](#)



Regulation of proline-rich protein gene expression by cyclic AMP in primary cultures of hamster parotid glands.

J Mol Endocrinol. 1990 Feb;4(1):81-7.

PMID: 2157454 [PubMed - indexed for MEDLINE]


-  **99:** [Shintani M, Minaguchi K, Lim KA, Hashimoto M, Suzuki K.](#) [Related Articles, Links](#)



Salivary proline-rich protein polymorphisms in Chinese, Malays and Indians in Singapore.


Hum Hered. 1990;40(2):89-98.

PMID: 2335371 [PubMed - indexed for MEDLINE]

 **100:** [Matsuguchi T, Okamura S, Aso T, Sata T, Niho Y.](#) [Related Articles, Links](#)



Molecular cloning of the cDNA coding for proline-rich protein (PRP): identity of PRP as C4b-binding protein.
 Biochem Biophys Res Commun. 1989 Nov 30;165(1):138-44.
 PMID: 2590215 [PubMed - indexed for MEDLINE]

 **101:** [Azen EA, Davisson MT, Cherry M, Taylor BA.](#) [Related Articles, Links](#)




Prp (proline-rich protein) genes linked to markers Es-12 (esterase-12), Ea-10 (erythrocyte alloantigen), and loci on distal mouse chromosome 6.
 Genomics. 1989 Oct;5(3):415-22. Erratum in: Genomics 1990 May;7(1):142.
 PMID: 2613230 [PubMed - indexed for MEDLINE]

 **102:** [Gibbons RJ, Hay DL.](#) [Related Articles, Links](#)




Adsorbed salivary acidic proline-rich proteins contribute to the adhesion of Streptococcus mutans JBP to apatitic surfaces.
 J Dent Res. 1989 Sep;68(9):1303-7.
 PMID: 2550531 [PubMed - indexed for MEDLINE]

 **103:** [Divecha N, Mansouri H, Peat D, Cope G, Partridge L, McDonald CJ.](#) [Related Articles, Links](#)



Isoprenaline-induced and constitutive members of a proline-rich protein sub-group from mouse parotid glands studied with monoclonal antibody NAL1.
 J Mol Endocrinol. 1989 Jul;3(1):7-14.
 PMID: 2742745 [PubMed - indexed for MEDLINE]

 **104:** [Sabatini LM, Warner TF, Saitoh E, Azen EA.](#) [Related Articles, Links](#)




Tissue distribution of RNAs for cystatins, histatins, statherin, and proline-rich salivary proteins in humans and macaques.
 J Dent Res. 1989 Jul;68(7):1138-45.
 PMID: 2483725 [PubMed - indexed for MEDLINE]

 **105:** [Gibbons RJ.](#) [Related Articles, Links](#)




Bacterial adhesion to oral tissues: a model for infectious diseases.
 J Dent Res. 1989 May;68(5):750-60. Review.
 PMID: 2654229 [PubMed - indexed for MEDLINE]

 **106:** [Wieczorek Z, Zimecki M, Spiegel K, Lisowski J, Janusz M.](#) [Related Articles, Links](#)



Differentiation of T cells into helper cells from immature precursors: identification of a target cell for a proline-rich polypeptide (PRP).
 Arch Immunol Ther Exp (Warsz). 1989;37(3-4):313-22.
 PMID: 2534785 [PubMed - indexed for MEDLINE]

 **107:** [Hemschoote K, Peeters B, Dirckx L, Claessens F, De Clercq N, Heyns W, Winderickx J, Bannwarth W, Rombauts W.](#) [Related Articles, Links](#)




A single 12.5-kilobase androgen-regulated mRNA encoding multiple proline-rich polypeptides in the ventral prostate of the rat.
 J Biol Chem. 1988 Dec 15;263(35):19159-65.
 PMID: 3198617 [PubMed - indexed for MEDLINE]

 **108:** [Funakoshi M, Sasaki J, Arakawa K.](#) [Related Articles, Links](#)




Proline-rich protein is a glycoprotein and an acute phase reactant.
 Biochim Biophys Acta. 1988 Nov 4;963(1):98-108.
 PMID: 2460142 [PubMed - indexed for MEDLINE]

 **109:** [Carlson DM.](#) [Related Articles, Links](#)




Proline-rich proteins and glycoproteins: expression of salivary gland multigene families.

Biochimie. 1988 Nov;70(11):1689-95. Review.
PMID: 3149532 [PubMed - indexed for MEDLINE]

-  **110:** [Hay DI, Bennick A, Schlesinger DH, Minaguchi K, Madapallimattam G, Schluckebier SK.](#) [Related Articles, Links](#)



The primary structures of six human salivary acidic proline-rich proteins (PRP-1, PRP-2, PRP-3, PRP-4, PIF-s and PIF-f).
Biochem J. 1988 Oct 1;255(1):15-21.
PMID: 3196309 [PubMed - indexed for MEDLINE]

-  **111:** [Lyons KM, Azen EA, Goodman PA, Smithies O.](#) [Related Articles, Links](#)



Many protein products from a few loci: assignment of human salivary proline-rich proteins to specific loci.
Genetics. 1988 Sep;120(1):255-65.
PMID: 3220251 [PubMed - indexed for MEDLINE]

-  **112:** [Lyons KM, Stein JH, Smithies O.](#) [Related Articles, Links](#)



Length polymorphisms in human proline-rich protein genes generated by intragenic unequal crossing over.
Genetics. 1988 Sep;120(1):267-78.
PMID: 2851479 [PubMed - indexed for MEDLINE]

-  **113:** [Ann DK, Smith MK, Carlson DM.](#) [Related Articles, Links](#)




Molecular evolution of the mouse proline-rich protein multigene family. Insertion of a long interspersed repeated DNA element.
J Biol Chem. 1988 Aug 5;263(22):10887-93.
PMID: 2839509 [PubMed - indexed for MEDLINE]

-  **114:** [Janusz M.](#) [Related Articles, Links](#)




[Proline-rich-polypeptide from ovine colostrum (PRP): its structure and properties. II]
Postepy Hig Med Dosw. 1988 May-Jun;42(3):237-59. Review. Polish. No abstract available.
PMID: 3073376 [PubMed - indexed for MEDLINE]

-  **115:** [Minaguchi K, Madapallimattam G, Bennick A.](#) [Related Articles, Links](#)



The presence and origin of phosphopeptides in human saliva.
Biochem J. 1988 Feb 15;250(1):171-7.
PMID: 3281658 [PubMed - indexed for MEDLINE]

-  **116:** [Mamula PW, Morley DJ, Larsen SH, Karn RC.](#) [Related Articles, Links](#)




Expression of human salivary protein genes.
Biochem Genet. 1988 Feb;26(1-2):165-75.
PMID: 3288192 [PubMed - indexed for MEDLINE]

-  **117:** [Gibbons RJ, Hay DI.](#) [Related Articles, Links](#)




Human salivary acidic proline-rich proteins and statherin promote the attachment of Actinomyces viscosus LY7 to apatitic surfaces.
Infect Immun. 1988 Feb;56(2):439-45.
PMID: 2892794 [PubMed - indexed for MEDLINE]

-  **118:** [Lisowski J, Wieczorek Z, Janusz M, Zimecki M.](#) [Related Articles, Links](#)



Proline-rich polypeptide (PRP) from ovine colostrum. Bi-directional modulation of binding of peanut agglutinin, resistance to hydrocortisone, and helper activity in murine thymocytes.
Arch Immunol Ther Exp (Warsz). 1988;36(4):381-93.
PMID: 2977937 [PubMed - indexed for MEDLINE]

[Janusz M, Wieczorek Z, Spiegel K, Kubik A, Szewczuk Z.](#)

 **119:** [Siemion I, Lisowski J.](#)

[Related Articles, Links](#)



Immunoregulatory properties of synthetic peptides, fragments of a proline-rich polypeptide (PRP) from ovine colostrum.

Mol Immunol. 1987 Oct;24(10):1029-31.

PMID: 3316989 [PubMed - indexed for MEDLINE]

 **120:** [Schlesinger DH, Buku A, Wyssbrod HR, Hay DI.](#)

[Related Articles, Links](#)



Chemical synthesis of phosphoseryl-phosphoserine, a partial analogue of human salivary statherin, a protein inhibitor of calcium phosphate precipitation in human saliva.

Int J Pept Protein Res. 1987 Aug;30(2):257-62.

PMID: 3679674 [PubMed - indexed for MEDLINE]

 **121:** [Ann DK, Gadbois D, Carlson DM.](#)


[Related Articles, Links](#)



Structure, organization, and regulation of a hamster proline-rich protein gene. A multigene family.

J Biol Chem. 1987 Mar 25;262(9):3958-63.

PMID: 3031057 [PubMed - indexed for MEDLINE]

 **122:** [Hay DI, Carlson ER, Schluckebier SK, Moreno EC, Schlesinger DH.](#)


[Related Articles, Links](#)



Inhibition of calcium phosphate precipitation by human salivary acidic proline-rich proteins: structure-activity relationships.

Calcif Tissue Int. 1987 Mar;40(3):126-32.

PMID: 3105842 [PubMed - indexed for MEDLINE]

 **123:** [Bennick A.](#)


[Related Articles, Links](#)



Structural and genetic aspects of proline-rich proteins.

J Dent Res. 1987 Feb;66(2):457-61. Review.

PMID: 3305627 [PubMed - indexed for MEDLINE]

 **124:** [Zimecki M, Pierce CW, Janusz M, Wieczorek Z, Lisowski J.](#)


[Related Articles, Links](#)



Proliferative response of T lymphocytes to a proline-rich polypeptide (PRP): PRP mimics mitogenic activity of Il-1.

Arch Immunol Ther Exp (Warsz). 1987;35(3):339-49.

PMID: 3502239 [PubMed - indexed for MEDLINE]

 **125:** [Kim HS, Maeda N.](#)


[Related Articles, Links](#)



Structures of two HaeIII-type genes in the human salivary proline-rich protein multigene family.

J Biol Chem. 1986 May 25;261(15):6712-8.

PMID: 3009472 [PubMed - indexed for MEDLINE]

 **126:** [Schlesinger DH, Hay DI.](#)


[Related Articles, Links](#)



Complete covalent structure of a proline-rich phosphoprotein, PRP-2, an inhibitor of calcium phosphate crystal growth from human parotid saliva.

Int J Pept Protein Res. 1986 Apr;27(4):373-9.

PMID: 3710693 [PubMed - indexed for MEDLINE]

 **127:** [Hraba T, Wieczorek Z, Janusz M, Lisowski J, Zimecki M.](#)


[Related Articles, Links](#)



Effect of proline-rich polypeptide on experimental autoimmune response to erythrocytes.

Arch Immunol Ther Exp (Warsz). 1986;34(4):437-43.

PMID: 3492186 [PubMed - indexed for MEDLINE]

 **128:** [Janusz M, Staroscik K, Zimecki M, Wieczorek Z, Lisowski J.](#)

[Related Articles, Links](#)

A proline-rich polypeptide (PRP) with immunoregulatory properties



isolated from ovine colostrum. Murine thymocytes have on their surface a receptor specific for PRP.

Arch Immunol Ther Exp (Warsz). 1986;34(4):427-36.
PMID: 3026278 [PubMed - indexed for MEDLINE]

☐ **129:** [Wells DJ, Humphreys-Beher MG.](#)

[Related Articles, Links](#)



Analysis of protein synthesis in rat salivary glands after chronic treatment with beta-receptor agonists and phosphodiesterase inhibitors.

Biochem Pharmacol. 1985 Dec 15;34(24):4229-37.
PMID: 2866770 [PubMed - indexed for MEDLINE]

☐ **130:** [Warner TF, Seo IS, Azen EA, Hafez GR, Zarling TA.](#)

[Related Articles, Links](#)



Immunocytochemistry of acinic cell carcinomas and mixed tumors of salivary glands.

Cancer. 1985 Nov 1;56(9):2221-7.
PMID: 2413984 [PubMed - indexed for MEDLINE]

☐ **131:** [Azen EA, Goodman PA, Lalley PA.](#)

[Related Articles, Links](#)



Human salivary proline-rich protein genes on chromosome 12.

Am J Hum Genet. 1985 Mar;37(2):418-24.
PMID: 2984928 [PubMed - indexed for MEDLINE]

☐ **132:** [Mamula PW, Heerema NA, Palmer CG, Lyons KM, Kam RC.](#)

[Related Articles, Links](#)



Localization of the human salivary protein complex (SPC) to chromosome band 12p13.2.

Cytogenet Cell Genet. 1985;39(4):279-84.
PMID: 4053693 [PubMed - indexed for MEDLINE]

☐ **133:** [Saitoh E, Isemura S, Sanada K.](#)

[Related Articles, Links](#)



Inhibition of calcium-carbonate precipitation by human salivary proline-rich phosphoproteins.

Arch Oral Biol. 1985;30(8):641-3.
PMID: 3863562 [PubMed - indexed for MEDLINE]

☐ **134:** [Aoba T, Moreno EC, Hay DI.](#)

[Related Articles, Links](#)



Inhibition of apatite crystal growth by the amino-terminal segment of human salivary acidic proline-rich proteins.

Calcif Tissue Int. 1984 Dec;36(6):651-8.
PMID: 6099209 [PubMed - indexed for MEDLINE]

☐ **135:** [Azen E, Lyons KM, McGonigal T, Barrett NL, Clements LS, Maeda N, Vanin EF, Carlson DM, Smithies O.](#)

[Related Articles, Links](#)



Clones from the human gene complex coding for salivary proline-rich proteins.

Proc Natl Acad Sci U S A. 1984 Sep;81(17):5561-5.
PMID: 6089212 [PubMed - indexed for MEDLINE]

☐ **136:** [Warner TF, Azen EA.](#)

[Related Articles, Links](#)



Proline-rich proteins are present in serous cells of submucosal glands in the respiratory tract.

Am Rev Respir Dis. 1984 Jul;130(1):115-8.
PMID: 6377992 [PubMed - indexed for MEDLINE]

☐ **137:** [Zimecki M, Lisowski J, Hraba T, Wieczorek Z, Janusz M, Starosciak K.](#)

[Related Articles, Links](#)




The effect of a proline-rich polypeptide (PRP) on the humoral immune response. I. Distinct effect of PRP on the T cell properties of mouse glass-nonadherent (NAT) and glass-adherent (GAT) thymocytes in

thymectomized mice.

Arch Immunol Ther Exp (Warsz). 1984;32(2):191-6.

PMID: 6333228 [PubMed - indexed for MEDLINE]


-  **138:** [Wieczorek Z, Zimecki M, Janusz M, Lisowski J, Staroscik K.](#) [Related Articles, Links](#)



Cells involved in autologous rosette formation in mice. I. Two different subpopulations of thymocytes regulating autologous rosette formation.

Arch Immunol Ther Exp (Warsz). 1984;32(5):537-41.

PMID: 6242014 [PubMed - indexed for MEDLINE]


-  **139:** [Zimecki M, Lisowski J, Hraba T, Wieczorek Z, Janusz M, Staroscik K.](#) [Related Articles, Links](#)



The effect of a proline-rich polypeptide (PRP) on the humoral immune response. II. PRP induces differentiation of helper cells from glass-nonadherent thymocytes (NAT) and suppressor cells from glass-adherent thymocytes (GAT).

Arch Immunol Ther Exp (Warsz). 1984;32(2):197-201.

PMID: 6237628 [PubMed - indexed for MEDLINE]


-  **140:** [Peeters B, Heyns W, Bossyns D, Rombauts W.](#) [Related Articles, Links](#)



Proline-rich polypeptides bound to rat prostatic binding protein. The primary structure of the two main components, proline-rich polypeptides IV and V.

J Biol Chem. 1983 Dec 10;258(23):14206-11.

PMID: 6685733 [PubMed - indexed for MEDLINE]

-  **141:** [Staroscik K, Janusz M, Zimecki M, Wieczorek Z, Lisowski J.](#) [Related Articles, Links](#)



Immunologically active nonapeptide fragment of a proline-rich polypeptide from ovine colostrum: amino acid sequence and immunoregulatory properties.

Mol Immunol. 1983 Dec;20(12):1277-82.

PMID: 6656774 [PubMed - indexed for MEDLINE]


-  **142:** [Heyns W, Peeters B, Bossyns D.](#) [Related Articles, Links](#)



Multiple forms of the proline-rich polypeptide (PRP) bound to rat prostatic binding protein.

Biochem Biophys Res Commun. 1983 Feb 28;111(1):172-9.

PMID: 6681955 [PubMed - indexed for MEDLINE]


-  **143:** [Zimecki M, Staroscik K, Janusz M, Lisowski J, Wieczorek Z.](#) [Related Articles, Links](#)



The inhibitory activity of a proline-rich polypeptide (PRP) on the immune response to polyvinylpyrrolidone (PVP).

Arch Immunol Ther Exp (Warsz). 1983;31(6):895-903.

PMID: 6234865 [PubMed - indexed for MEDLINE]


-  **144:** [Zimecki M, Janusz M, Staroscik K, Lisowski J, Wieczorek Z.](#) [Related Articles, Links](#)



Effect of proline-rich polypeptide on donor cells in graft-versus-host reaction.

Immunology. 1982 Sep;47(1):141-7.

PMID: 6981586 [PubMed - indexed for MEDLINE]


-  **145:** [Baum BJ, Kousvelari EE, Oppenheim FG.](#) [Related Articles, Links](#)



Exocrine protein secretion from human parotid glands during aging: stable release of the acidic proline-rich proteins.

J Gerontol. 1982 Jul;37(4):392-5.

PMID: 7086073 [PubMed - indexed for MEDLINE]

-  **146:** [Margolis HC, Varughese K, Moreno EC.](#) [Related Articles, Links](#)



Effect of fluoride on crystal growth of calcium apatites in the presence of a salivary inhibitor.

Calcif Tissue Int. 1982;34 Suppl 2:S33-40.

PMID: 6293672 [PubMed - indexed for MEDLINE]

☐ **147:** [Schlesinger DH, Hay DI.](#)

[Related Articles, Links](#)



Primary structure of the active tryptic fragments of human and monkey salivary anionic proline-rich proteins.

Int J Pept Protein Res. 1981 Jan;17(1):34-41.

PMID: 7228490 [PubMed - indexed for MEDLINE]

☐ **148:** [Helbecque N, Loucheux-Lefebvre MH.](#)

[Related Articles, Links](#)



Synthesis and circular dichroism studies of two polypeptides H-[Gly-(Pro)3]n-OH and H-[Gly-(Pro)4]n-OH.

Int J Pept Protein Res. 1978 May;11(5):353-62.

PMID: 681080 [PubMed - indexed for MEDLINE]

☐ **149:** [Zimecki M, Janusz M, Staroscik K, Wieczorek Z, Lisowski J.](#)

[Related Articles, Links](#)



Immunological activity of a proline-rich polypeptide from ovine colostrum.

Arch Immunol Ther Exp (Warsz). 1978;26(1-6):23-9.

PMID: 749775 [PubMed - indexed for MEDLINE]

☐ **150:** [Janusz M, Staroscik K, Zimecki M, Wieczorek Z, Lisowski J.](#)

[Related Articles, Links](#)



Physicochemical properties of a proline-rich polypeptide (PRP) from ovine colostrum.

Arch Immunol Ther Exp (Warsz). 1978;26(1-6):17-21.

PMID: 35126 [PubMed - indexed for MEDLINE]

☐ **151:** [Bailleul V, Richet C, Hayem A, Degand P.](#)

[Related Articles, Links](#)



[Rheological properties of human bronchial secretions: demonstration of proline-rich polypeptides and their role (author's transl)]

Clin Chim Acta. 1977 Jan 17;74(2):115-23. French.

PMID: 12892 [PubMed - indexed for MEDLINE]

Display

Summary

Show:

500

Sort

Send to

Text

Items 1-151 of 151

One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Apr 19 2004 06:33:45

Connecting via Winsock to STN
Welcome to STN International! Enter x:x
* * * * * Welcome to STN International * * * * *
* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:39:02 ON 26 APR 2004

=> File BIOSCIENCE

FILE 'ADISCTI' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Adis Data Information BV

FILE 'ADISINSIGHT' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Adis Data Information BV

FILE 'ADISNEWS' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Adis Data Information BV

FILE 'AGRICOLA' ENTERED AT 11:39:13 ON 26 APR 2004

FILE 'ANABSTR' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THE ROYAL SOCIETY OF CHEMISTRY (RSC)

FILE 'AQUASCI' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT 2004 FAO (On behalf of the ASFA Advisory Board). All rights reserved.

FILE 'BIOBUSINESS' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Biological Abstracts, Inc. (BIOSIS)

FILE 'BIOCOMMERCE' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 BioCommerce Data Ltd. Richmond Surrey, United Kingdom. All rights reserved

FILE 'BIOSIS' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'BIOTECHABS' ACCESS NOT AUTHORIZED

FILE 'BIOTECHDS' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT AND INSTITUTE FOR SCIENTIFIC INFORMATION

FILE 'BIOTECHNO' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'CABA' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 CAB INTERNATIONAL (CABI)

FILE 'CANCERLIT' ENTERED AT 11:39:13 ON 26 APR 2004

FILE 'CAPLUS' ENTERED AT 11:39:13 ON 26 APR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CEABA-VTB' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (c) 2004 DECHEMA eV

FILE 'CEN' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 American Chemical Society (ACS)

FILE 'CIN' ENTERED AT 11:39:13 ON 26 APR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

FILE 'CONFSCI' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'CROPB' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'CROPU' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'DISSABS' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 ProQuest Information and Learning Company; All Rights Reserved.

FILE 'DDFB' ACCESS NOT AUTHORIZED

FILE 'DDFU' ACCESS NOT AUTHORIZED

FILE 'DGENE' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'DRUGB' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'DRUGMONOG2' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 IMSWORLD Publications Ltd

FILE 'IMSDRUGNEWS' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 IMSWORLD Publications Ltd

FILE 'DRUGU' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'IMSRESEARCH' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 IMSWORLD Publications Ltd

FILE 'EMBAL' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.

FILE 'EMBASE' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.

FILE 'ESBIOBASE' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'FEDRIP' ENTERED AT 11:39:13 ON 26 APR 2004

FILE 'FOMAD' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Leatherhead Food Research Association

FILE 'FOREGE' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Leatherhead Food Research Association

FILE 'FROSTI' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Leatherhead Food Research Association

FILE 'FSTA' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 International Food Information Service

FILE 'GENBANK' ENTERED AT 11:39:13 ON 26 APR 2004

FILE 'HEALSAFE' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'IFIPAT' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 IFI CLAIMS(R) Patent Services (IFI)

FILE 'IMSPRODUCT' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 IMSWORLD Publications Ltd

FILE 'JICST-EPLUS' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Japan Science and Technology Agency (JST)

FILE 'KOSMET' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 International Federation of the Societies of Cosmetics Chemists

FILE 'LIFESCI' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'MEDICONF' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 FAIRBASE Datenbank GmbH, Hannover, Germany

FILE 'MEDLINE' ENTERED AT 11:39:13 ON 26 APR 2004

FILE 'NIOSHTIC' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 U.S. Secretary of Commerce on Behalf of the U.S. Government

FILE 'NTIS' ENTERED AT 11:39:13 ON 26 APR 2004
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2004)

FILE 'NUTRACEUT' ENTERED AT 11:39:13 ON 26 APR 2004
Copyright 2004 (c) MARKETLETTER Publications Ltd. All rights reserved.

FILE 'OCEAN' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'PASCAL' ENTERED AT 11:39:13 ON 26 APR 2004
Any reproduction or dissemination in part or in full,
by means of any process and on any support whatsoever
is prohibited without the prior written agreement of INIST-CNRS.
COPYRIGHT (C) 2004 INIST-CNRS. All rights reserved.

FILE 'PCTGEN' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 WIPO

FILE 'PHAR' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 PJB Publications Ltd. (PJB)

FILE 'PHARMAML' ENTERED AT 11:39:13 ON 26 APR 2004
Copyright 2004 (c) MARKETLETTER Publications Ltd. All rights reserved.

FILE 'PHIC' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 PJB Publications Ltd. (PJB)

FILE 'PHIN' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 PJB Publications Ltd. (PJB)

FILE 'PROMT' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Gale Group. All rights reserved.

FILE 'RDISCLOSURE' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Kenneth Mason Publications Ltd.

FILE 'SCISEARCH' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT 2004 THOMSON ISI

FILE 'SYNTHLINE' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 Prous Science

FILE 'TOXCENTER' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 ACS

FILE 'USPATFULL' ENTERED AT 11:39:13 ON 26 APR 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 11:39:13 ON 26 APR 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'VETB' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'VETU' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'WPIDS' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'WPIFV' ENTERED AT 11:39:13 ON 26 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'WPINDEX' ACCESS NOT AUTHORIZED

=> s colostrinin OR PRP OR proline-rich peptide
22 FILES SEARCHED...

47 FILES SEARCHED...
L1 50065 COLOSTRININ OR PRP OR PROLINE-RICH PEPTIDE

=> s L1 AND leukocyte
43 FILES SEARCHED...
L2 1456 L1 AND LEUKOCYTE

=> DUP REM L2
DUPLICATE IS NOT AVAILABLE IN 'ADISINSIGHT, ADISNEWS, BIOCOMMERCE, DGENE,
DRUGMONOG2, IMSRESEARCH, FEDRIP, FOREGE, GENBANK, IMSPRODUCT, KOSMET,
MEDICONF, NUTRACEUT, PCTGEN, PHAR, PHARMAML, RDISCLOSURE, SYNTHLINE'.

ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE
PROCESSING IS APPROXIMATELY 45% COMPLETE FOR L2
PROCESSING IS APPROXIMATELY 90% COMPLETE FOR L2
PROCESSING COMPLETED FOR L2
L3 1031 DUP REM L2 (425 DUPLICATES REMOVED)

=> S L3 AND colostrinin

29 FILES SEARCHED...

54 FILES SEARCHED...

L4 7 L3 AND COLOSTRININ

=> D L4 1-7

L4 ANSWER 1 OF 7 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AN 2003:404201 BIOSIS
DN PREV200300404201
TI Modulation of 4HNE-mediated signaling by ***proline*** - ***rich***
peptides from ovine colostrum.
AU Boldogh, Istvan; Liebenthal, Daniel; Hughes, T. Kley; Juelich, Terry L.;
Georgiades, Jerzy A.; Kruzel, Marian L.; Stanton, G. John [Reprint Author]
CS Department of Microbiology and Immunology, The University of Texas Medical
Branch, Galveston, TX, 77555, USA
jstanton@utmb.edu
SO Journal of Molecular Neuroscience, (April 2003) Vol. 20, No. 2, pp.
125-134. print.
ISSN: 0895-8696 (ISSN online).
DT Article
LA English
ED Entered STN: 3 Sep 2003
Last Updated on STN: 3 Sep 2003

L4 ANSWER 2 OF 7 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AN 2002:173419 BIOSIS
DN PREV200200173419
TI Towards an understanding of biological role of ***colostrinin***
peptides.
AU Kruzel, Marian L.; Janusz, Maria; Lisowski, Jozef; Fischleigh, Robert V.;
Georgiades, Jerzy A. [Reprint author]
CS ReGen Therapeutics Plc., London, UK
jerzygeorgiades@msn.com
SO Journal of Molecular Neuroscience, (December, 2001) Vol. 17, No. 3, pp.
379-389. print.
CODEN: JMNEES. ISSN: 0895-8696.
DT Article
LA English
ED Entered STN: 5 Mar 2002
Last Updated on STN: 5 Mar 2002

L4 ANSWER 3 OF 7 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AN 2000:162385 BIOSIS
DN PREV200000162385
TI ***Colostrinin*** (R): A proline-rich polypeptide (***PRP***)
complex isolated from ovine colostrum for treatment of Alzheimer's
disease. A double-blind, placebo-controlled study.
AU Leszek, Jerzy; Inglot, Anna D.; Janusz, Maria [Reprint author]; Lisowski,
Jozef; Krukowska, Katarzyna; Georgiades, Jerzy A.
CS Institute of Immunology and Experimental Therapy, Polish Academy of
Sciences, Weigla 12, 53-114, Wroclaw, Poland
SO Archivum Immunologiae et Therapiae Experimentalis, (1999) Vol. 47, No. 6,
pp. 377-385. print.
CODEN: AITEAT. ISSN: 0004-069X.
DT Article
LA English
ED Entered STN: 26 Apr 2000
Last Updated on STN: 4 Jan 2002

L4 ANSWER 4 OF 7 CANCERLIT on STN
AN 1998280457 CANCERLIT
DN 98280457 PubMed ID: 9617463
TI Tumor-associated antigens are cytokine inducers and hyporeactivity factors
to the immune system.
AU Inglot A D; Gelder F; Georgiades J A
CS L. Hirszfeld Institute of Immunology and Experimental Therapy, Polish
Academy of Sciences, Wroclaw, Poland.
SO BIOTHERAPY, (1998) 11 (1) 27-37.
Journal code: 8903031. ISSN: 0921-299X.

CY Netherlands
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS MEDLINE; Priority Journals
OS MEDLINE 1998280457
EM 199808
ED Entered STN: 19980910
Last Updated on STN: 19980910

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2002:142539 CAPLUS
DN 136:194245
TI Use of ***colostrinin*** , constituent peptides thereof, and analogs thereof for inducing cytokines
IN Stanton, G. John; Hughes, Thomas K., Jr.; Boldogh, Istvan; Georgiades, Jerzy
PA The University of Texas System, USA; Regen Therapeutics PLC
SO PCT Int. Appl., 54 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002013849	A1	20020221	WO 2000-US22775	20000817
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	AU 2000067883	A5	20020225	AU 2000-67883	20000817
PRAI	WO 2000-US22775	A	20000817		
RE.CNT	4	THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT			

L4 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2001:136927 CAPLUS
DN 134:188199
TI Use of ***colostrinin*** , constituent peptides, and analogs for inducing cytokines and as blood cell regulators
IN Stanton, G. John; Hughes, Thomas K., Jr.; Boldogh, Istvan; Georgiades, Jerzy
PA The University of Texas System, USA; Regen Therapeutics PLC
SO PCT Int. Appl., 51 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001011937	A2	20010222	WO 2000-US22818	20000817
	WO 2001011937	A3	20010907		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IS, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	AU 2000069197	A5	20010313	AU 2000-69197	20000817
	EP 1224217	A2	20020724	EP 2000-957601	20000817
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
PRAI	US 1999-149311P	P	19990817		
	WO 2000-US22818	W	20000817		

L4 ANSWER 7 OF 7 PROMT COPYRIGHT 2004 Gale Group on STN

ACCESSION NUMBER: 2001:143711 PROMT
TITLE: EUROPEAN PATENT DISCLOSURES.(Brief Article)

SOURCE: BIOWORLD Today, (20 Feb 2001) Vol. 12, No. 34.
PUBLISHER: American Health Consultants, Inc.
DOCUMENT TYPE: Newsletter
LANGUAGE: English
WORD COUNT: 2190

FULL TEXT IS AVAILABLE IN THE ALL FORMAT

STN INTERNATIONAL LOGOFF AT 11:43:27 ON 26 APR 2004
